


CATALOG NUMBER	"L"	"T"
PSSB780200	2	2
PSSB780250	2.5	2
PSSB780300	3	1.6
PSSB780400	4	2
PSSB780500	5	2.5
PSSB780600	6	2.5
PSSB780700	7	3
PSSB780800	8	3
PSSB781000	10	6
DF5B12	12	6
C2050254	14	6
C2050255	16	6
C2050256	18	6
C2050257	20	6
C2050258	22	6
DF5B24	24	6
PSSB782600	26	8
PSSB782800	28	8
PSSB783000	30	8
PSSB783200	32	8
PSSB783400	34	8
PSSB783600	36	8
PSSB783800	38	8
PSSB784000	40	8
PSSB784200	42	8

- NOTES -

1. MATERIAL: STEEL.
2. FINISH: HOT DIP GALVANIZED PER ASTM A153.
3. STRENGTH AND DIMENSIONS PER ANSI/IEEE C135.1 INCLUDING THE FOLLOWING:  
- MINIMUM ASSEMBLY TENSILE STRENGTH OF 25,400 LBS.
4. CATALOG NUMBERS WITH A "USA" SUFFIX HAVE ALL COMPONENTS MELTED AND MANUFACTURED IN THE USA.

<b>CHANCE</b> <sup>®</sup>		 <b>HUBBELL POWER SYSTEMS, INC.</b>		
		<small>POWER SYSTEMS, INC.</small>		
<small>CONFIDENTIAL: THIS DRAWING AND ITS CONTENTS ARE CONFIDENTIAL AND THE EXCLUSIVE PROPERTY OF HUBBELL POWER SYSTEMS. NO PUBLICATION, DISTRIBUTION, OR COPIES MAY BE MADE WITHOUT THE WRITTEN CONSENT OF HUBBELL POWER SYSTEMS. HUBBELL POWER SYSTEMS UNPUBLISHED ALL RIGHTS RESERVED UNDER THE COPYRIGHT LAWS.</small>		<b>7/8 MACHINE BOLT OR CROSSARM BOLT</b>		
		<small>SIZE</small> <b>C</b>	<small>CAT / PART / ASSY NO.</small> <b>SEE TABLE</b>	<small>DWG NO.</small> <b>SA2050254</b>
<small>DO NOT SCALE THIS DRAWING</small>		<small>DRN BY</small> TOLIVER	<small>DATE</small> 7/8/22	<small>SHEET</small> 1 OF 1